




PRODUCT-DETAILS

KIT MP T5 630 P 4p

KIT MP T5 630 P 4p

**General Information**

Extended Product Type	KIT MP T5 630 P 4p
Product ID	1SDA054848R1
EAN	8015644559731
Catalog Description	KIT MP T5 630 P 4p
Long Description	KIT CONVERSION FOR MOVING PART PLUG-IN FOUR-POLE T5 630

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
---------------------------	-----------------

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

E-Number (Finland)	3655602
E-Number (Sweden)	3180889
EAN	8015644559731
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.8 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	158 mm
Package Level 1 Height	158 mm
Package Level 1 Depth / Length	188 mm
Package Level 1 Gross Weight	0.8 kg
Package Level 1 EAN	8015644559731

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T5
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0801

Classifications

ETIM 7	EC002049 - Modification set for power circuit breaker
ETIM 8	EC002049 - Modification set for power circuit breaker

ETIM 9	EC002049 - Modification set for power circuit breaker
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370402

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

