



## PRODUCT-DETAILS

**WB1SL0820A00****WB1SL0820A00 Junction Box Surface mounting General****General Information**

Extended Product Type	WB1SL0820A00
Product ID	1SL0816A00
EAN	8000126233155
Catalog Description	WB1SL0820A00 Junction Box Surface mounting General
Long Description	IP55-CABLE GL-LOW LID-100X100X50-1/4TS - GWT 650°C

**Technical**

Application	General
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U <sub>i</sub> )	1500 V
Number of Conduit Inlets	6
Cover Mounting Type	Screw
Mounting Type	Surface mounting
Product Type	IP44-55-65
Screw Type	Plastic

Shape	Rectangular
Surface Finishing	Untreated
Enclosure Material	thermoplastic
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey

---

## Material Compliance

RoHS Information	9AKK108468A2381
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20221015
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

## Environmental

Degree of Protection	IP55
Protection Class	Isolated (Class II)
Environmental Information	1SLC001001D0905

---

## Dimensions

Product Net Width	100 mm
Product Net Height	100 mm
Product Net Depth / Length	50 mm
Product Net Weight	0.170 kg

---

## Ordering

Package Level 1 Units	box 54 piece
Package Level 1 Gross Weight	9.2 kg
E-Number (Finland)	3411021

---

## Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A2381
--------------------------------	-----------------

---

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

---

## Popular Downloads

---

### Classifications

---

ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 9	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401
Object Classification Code	U

---

---

### Categories

---

Low Voltage Products and Systems → Enclosures → Installation Material → Junction Boxes → Surface Mounted

