



 PRODUCT-DETAILS

2CSK1305CH

Automatic MCB, 1P+N, C10, breaking capacity
3kA White - Chiara



General Information

Product ID	2CSK1305CH
EAN	8012542006657
Catalog Description	Automatic MCB, 1P+N, C10, breaking capacity 3kA White - Chiara
Long Description	Automatic MCB, 1P+N, C10, breaking capacity 3kA

Installation

Instructions and Manuals	2CSC600290D0201
--------------------------	-----------------

Technical

Data Sheet, Technical Information	2CSC600290D0201
Energy Limiting Class	3
Number of Poles	1
Number of Protected Poles	1
Illumination	Non-illuminated
Accessories Available	Yes

Connecting Capacity

Rigid 6 ... 6 mm²
Flexible 6 ... 6 mm²

Electrical

Tripping Characteristic	C
Rated Operational Voltage	acc. to IEC 60947-2 230 V
Rated Insulation Voltage (U _i)	2000 V
Rated Impulse Withstand Voltage (U _{imp})	4 kV
Input Voltage Type	AC
Rated Current (I _n)	10 A
Rated Short-Circuit Capacity	(230 V) 3 kA
Rated Frequency (f)	50...60 Hz
Overvoltage Category	III

Design

Design Range	Chiara
Surface Finishing	Basic
Material	Plastic
Color	White

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
---------------------------------------------	-----------------

Environmental

Ambient Air Temperature	Operation -5...40 °C
Degree of Protection	IP20
Pollution Degree	2

Dimensions

Width in Number of Modular Spacings	1
Product Net Width	0 mm
Product Net Height	0 mm
Product Net Depth / Length	0 mm
Product Net Weight	0.006 kg
Built-In Depth (t ₂)	56 mm

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 9

EC000042 - Miniature circuit breaker (MCB)

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Protection Devices



360°