PRODUCT-DETAILS

2CSK1309CH

Automatic RCD, 1P+N, C16 - 10 mA, breaking capacity 3kA 10 mA White - Chiara

General Information

Product ID	2CSK1309CH
EAN	8012542007050
Catalog Description	Automatic RCD, 1P+N, C16 - 10 mA, breaking capacity 3kA 10 mA White - Chiara
Long Description	Automatic RCD, 1P+N, C16 - 10 mA, breaking capacity 3kA

Installation

Instructions and Manuals	2CSC600290D0201

Technical

Data Sheet, Technical Information	2CSC600290D0201
Type of Residual Current	Type A
Rated Service Short-Circuit Breaking Capacity (I_{cs})	3 kA

Maximum Surge Current	3 kA
Number of Poles	1
Illumination	Non-illuminated
Rated Cross-Section	1 - Solid-Core 6...6 mm² 4 - Multi-Wired 6...6 mm²

Electrical

Short-Circuit Current Rating (SCCR)	10 A
Rated Voltage (U_r)	230 V
Rated Operational Voltage	acc. to IEC 60898-1 230 V
Rated Insulation Voltage (U_i)	230 V
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Input Voltage Type	AC
Rated Current (I_n)	16 A
Rated Residual Current	10 mA
Rated Frequency (f)	50 / 60 Hz

Design

Design Range	Chiara
Surface Finishing	Basic
Material	Plastic
Color	White

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5...40 °C
Degree of Protection	IP20
Pollution Degree	1

Dimensions

Width in Number of Modular Spacings	2
Product Net Width	0 mm
Product Net Height	0 mm
Product Net Depth / Length	0 mm
Product Net Weight	0.01 kg
Built-In Depth (t_2)	40 mm

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed

Classifications

ETIM 9	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Protection Devices