



 PRODUCT-DETAILS

PTI/U 1.1.MS

2CSYK5200S PTI/U 1.1.MS - Transponder card-holder, Mylos black



General Information

Extended Product Type	PTI/U 1.1.MS
Product ID	2CSYK5200S
EAN	8012542264750
Catalog Description	2CSYK5200S PTI/U 1.1.MS - Transponder card-holder, Mylos black
Long Description	<p>The transponder holder is equipped with a slot into which the transponder card is inserted. In a hotel application, this allows occupancy recognition and notification at the supervisory level (e.g. on the front desk computer). Moreover, room status information can be managed by using special cards (minibar status, maintenance status, usability). The device is equipped with two bistable relays (8 A, 250 Vac), and three voltage-free, non-optically insulated inputs; the 5-Vdc scanning voltage is generated by the device itself. The transponder holder has on the front four LEDs for signaling indications. It requires a 10...32Vdc/12...24Vac auxiliary power supply to ensure its operation even in case of KNX voltage failure.</p>

Installation

Instructions and Manuals	2CSN600045D0201
Mounting Type	Flush Mounted

Technical

Data Sheet, Technical
Information

2CSN600041D0901

Number of Batteries	0
---------------------	---

Design

Surface Finishing	Matt
Material	Plastic
RAL Number	RAL 9005 - Jet Black
Color	Black

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Product Net Width	66 mm
Product Net Height	46 mm
Product Net Depth / Length	44 mm
Product Net Weight	0.1 kg

Certificates and Declarations

Declaration of Conformity - CE	2CSC600002U5101
-----------------------------------	-----------------

Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Mylos → Transponder Readers and Card Holders

