Sentry BSR23 1/4



PRODUCT-DETAILS

Sentry BSR23 Sentry BSR23 Safety relay



General Information	
Extended Product Type	Sentry BSR23
Product ID	2TLA010041R0600
EAN	7350024483277
Catalog Description	Sentry BSR23 Safety relay
	Sentry BSR23 Safety expansion relay with relay outputs 4NO+1NC, +24 VDC supply voltage and screw terminals.

Used as expansion relay for a safety relay/safety PLC, in order to increase the number of

safe outputs.

Sentry safety relays cover various types of safety applications up to PLe / SIL3. Basic models provide reliable supervision of simpler safety functions, while universal models provide advanced features and high flexibility. Long Description

Models with display offer preset configurations and extensive information to further simplify troubleshooting.

Additional variants offer a high accuracy timer function of $\pm\ 1\%$ and an adjustable time setting range from 0-999 s.

High output current capacity of up to 6 A can save the use of an intermediary contactor.

Multi-reset allows up to 10 safety relays connected to one reset light-button. All models are available with detachable push-in or screw terminals. Terminals and coding

kit to mark removed terminals are available as accessories.

Ordering

Sentry BSR23 2/4

Minimum Order Quantity	1 piece
Customs Tariff Number	85364900
Product Main Type	BSF
Product Name	Safety relay
Function	Expansion relay - must be monitored by another device for higher than PL of
Sub-Function	Start/test inpu
Special Functions	Can be used for expansion of Pluto -24VDC outputs. Must be monitored by
	another device in order to reach higher than cat 1/PL o
Popular Downloads	
Data Sheet, Technical Information	2TLC010037L020
Instructions and Manuals	2TLC010062M0201
Dimension Diagram	2TLC010001U020
Wiring Diagram	2TLC010006T000 ⁻
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010019N0201 2TLC010018N0201
Dimensions	
Product Net Depth /	120 mm
Length Product Net Height	120 mm
Product Net Height Product Net Width	22.5 mm
Product Net Weight	0.195 kg
Safety Information	
Certification Agency	CULUS TÜV SÜL
	CE
	CCC RCM
	UKCA KO
Performance Level (PL)	Up to o
Safety Integrity Level (SIL)	`
Technical	
Number of Outputs	Failsafe (Relay) 5
Rated Control Supply Voltage (U _s)	24 V DC
Environmental	
Ambient Air Temperature	Operation -25 +65 °C Storage -40 +70 °C
Degree of Protection	IP20
	10% 90%; no icing; occasional condensation
Material Compliance	

Conflict Minerals 9AKK108467A5658

Sentry BSR23 3/4

(CMRT)			
REACH Declaration	2CMT2022-006480		
RoHS Information	2CMT2022-006499		
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019		
Toxic Substances Control Act - TSCA	2CMT2023-006522		
WEEE B2C / B2B	Business To Business		
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)		

Certificates and Declarations	
CQC Certificate	CQC2017010303977544
cUL Certificate	2TLC010006D0201
cULus Certificate	2TLC010007D0201
Declaration of Conformity - CCC	2020980303000244
Declaration of Conformity - CE	2TLC010010D0201
Declaration of Conformity - UKCA	2TLC010190D0201
KC Certificate	2TLC010048D0201
TÜV Certificate	2TLC010008D0201

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	125 mm
Package Level 1 Depth / Length	31 mm
Package Level 1 Height	129 mm
Package Level 1 Gross Weight	0.256 kg
Package Level 1 EAN	7350024483277

Classifications		
eClass	V11.0 : 27371819	
ETIM 7	EC001449 - Device for monitoring of safety-related circuits	
ETIM 8	EC001449 - Device for monitoring of safety-related circuits	
ETIM 9	EC001449 - Device for monitoring of safety-related circuits	
IDEA Granular Category Code (IGCC)	5367 >> Control relay	
UNSPSC	39122331	
Object Classification Code	K	
E-Number (Finland)	2712521	
E-Number (Sweden)	3860818	

Accessories				
Identifier	Description	Туре	Quantity	Unit Of Measure
2TLA010099R0000	Sentry S30A Terminal block	Sentry S30A	1	piece
2TLA010099R0100	Sentry S30B Coding kit	Sentry S30B	1	piece
2TLA010099R0001	Sentry S30C Terminal block	Sentry S30C	1	piece

Sentry BSR23 4/4

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Control\ Products\ \rightarrow\ Electronic\ Relays\ and\ Controls\ \rightarrow\ Safety\ Relays\ \rightarrow\ Expansion\ Relays$ $Low\ Voltage\ Products\ \rightarrow\ Safety\ Products\ \rightarrow\ Safety\ Relays\ \rightarrow\ Expansion\ Relays$





