

PRODUCT-DETAILS

S2C-UA 230 AC S2C-UA 230 AC Undervoltage Release



General Information	
Extended Product Type	S2C-UA 230 AC
Product ID	2CSS200911R0005
EAN	8012542840107
Catalog Description	S2C-UA 230 AC Undervoltage Release
Long Description	The S2C-UA 230 AC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 230V a.c

Eco Transparency Environmental Product Declaration - EPD No declaration needed

Technical

© 2024 ABB. All rights reserved.

Subject to change without notice

Suitable For	S200
	\$300P
	SN201
	F200 DS201
	DS202C
	DS200 DS203NC
	DS203NC DSE201 M
	SD200
	DS-ARC1 S-ARC1
Suitable for Product	Miniature Circuit Breakers MCBs
Class	Residual Current Devices RCDs
	Residual Current Breakers with Overload Protection RCBo
Rated Voltage (Ur)	230 V
Power Loss	3.7 W
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	0
Number of Switches	1
Material Compliance	
RoHS Information	9AKK106713A5575
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20220528
REACH Declaration	9AKK108468A9644
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
<u>.</u>	
Environmental	
Environmental Information	document not needed
Dimensions	
Product Net Width	18 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.074 m
Product Net Weight	0.090 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.1 kg
E-Number (Finland)	3210843
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5575

© 2024 ABB. All rights reserved.

Installation	
Instructions and Manuals	2CSS490001D0010
Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0209
Classifications	
Classifications	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices EC001286 - Auxiliary device for distribution board devices 5. Small Equipment (No External Dimension More Than 50 cm)
ETIM 8 ETIM 9	EC001286 - Auxiliary device for distribution board devices
ETIM 8 ETIM 9 WEEE Category	EC001286 - Auxiliary device for distribution board devices 5. Small Equipment (No External Dimension More Than 50 cm)
ETIM 8 ETIM 9 WEEE Category WEEE B2C / B2B	EC001286 - Auxiliary device for distribution board devices 5. Small Equipment (No External Dimension More Than 50 cm) Business To Consumer

Code (IGCC) Object Classification Code

IDEA Granular Category

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow ABB VY \rightarrow Busbars and Accessories ABB VY \rightarrow Accessories ABB VY \rightarrow VY

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Miniature Circuit Breakers MCBs \rightarrow Miniature Circuit Breakers MCBs Accessories \rightarrow Undervoltage Releases

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Protection Against Arc Faults AFDDs \rightarrow Protection Against Arc Faults AFDDs Accessories \rightarrow Accessories for Arc Fault Detection Devices with Integrated Overcurrent and Residual Current Protection - AFDD+RCBO

 $\label{eq:low-Voltage-Products} and Systems \rightarrow Modular DIN Rail Products \rightarrow Protection Against Arc Faults AFDDs \rightarrow Protection Against Arc Faults AFDDs Accessories \rightarrow Accessories for Arc Fault Detection Devices with Integrated Overcurrent Protection - AFDD+MCB$

4148 >> Under voltage coil

Q

