




---

 PRODUCT-DETAILS

# CPS10B-50-CV0

## BRAIDED SLEEV. CONFORMED V0, 50M




---

**General Information**

Extended Product Type	CPS10B-50-CV0
Product ID	7TCG054800R0010
EAN	5414363149606
Catalog Description	BRAIDED SLEEV. CONFORMED V0, 50M
Long Description	Flame Retardant Braided Sleeve, Black Polyester for Temperatures from -50 Degrees Celsius (-58 F) up to 150 Celsius (302 F), Nominal Diameter 10mm (0.394 Inches), Expandable Diameter Range 9mm (0.354 Inches) to 15mm (0.590 Inches), Mini-Reel Length 50m (164.04 Feet)

---

**Ordering**

EAN	5414363149606
UPC	786210927169
Country of Origin	France (FR)
Selling Unit of Measure	roll

---

**Dimensions**

Product Net Depth / Length	164.04 ft 50 m
----------------------------	-------------------

---

## Container Information

---

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	14.76 in 375 mm
Package Level 2 Height	13.78 in 350 mm
Package Level 2 Depth / Length	29.53 in 750 mm

---



---

## Additional Information

---

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	20040129
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	CPS10B-50-CV0
-----------------------------------	---------------

---



---

## Classifications

---

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

