

PRODUCT-DETAILS

CPS10G-100 BRAIDED SLEEVE GRY PLYE 10 DIA 100M



Extended Product Type	CPS10G-10
Product ID	7TCG054800R0012
EAN	541436310323
Catalog Description	BRAIDED SLEEVE GRY PLYE 10 DIA 100M
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 10mm (0.394 Inches), Expandable Diameter Range 7mm (0.275 Inches) to 15mm (0.590 Inches), Mini-Reel Lenath 100m (328.08 Feet
Ordering	
EAN	541436310323
UPC	78621055737
Country of Origin	France (FR
Selling Unit of Measure	01
Dimensions	

© 2024 ABB. All rights reserved.

Subject to change without notice

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	7.8 in 198 mm
Package Level 2 Height	4.19 in 106 mm
Package Level 2 Depth / Length	8 in 203 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	Plastic conduit
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical Information	CPS10G-100

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Wire Management and Connectivity \rightarrow Cable Ties

