



 PRODUCT-DETAILS

CPS20B-50-CV0

BRD SLEEVE CONFORMED V0 50M BLK



General Information

Extended Product Type	CPS20B-50-CV0
Product ID	7TCG054800R0036
EAN	5414363149651
Catalog Description	BRD SLEEVE CONFORMED V0 50M BLK
Long Description	Flame Retardant Braided Sleeve, Black Polyester for Temperatures -50 Degrees Celsius (-58 F) up to 150 Celsius (302 F), Nominal Diameter 20mm (0.787 Inches), Expandable Diameter Range 18mm (0.709 Inches) to 25mm (0.984 Inches), Mini-Reel Length 50m (164.04 Feet)

Ordering

EAN	5414363149651
UPC	786210927206
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	164.04 ft 50 m
----------------------------	-------------------

Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	14.75 in 375 mm
Package Level 2 Height	13.75 in 349 mm
Package Level 2 Depth / Length	29.5 in 749 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	20040129
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations

Data Sheet, Technical Information	CPS20B-50-CV0
-----------------------------------	---------------

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

