



 PRODUCT-DETAILS

DWA1

DWA1 Digital Time switch



General Information

Extended Product Type	DWA1
Product ID	2CSM222511R1000
EAN	8012542225119
Catalog Description	DWA1 Digital Time switch
Long Description	Digital time switch, weekly and asto programming, one channel

Technical

Standards	EN 60730-2-7 EN-301 489-17 EN-300 328 EN-62479 EN 50581
Function	Weekly astro
Operational Voltage	195.5 ... 253 V AC
Supply Voltage	230 V AC
Rated Impulse Withstand Voltage (U_{imp})	Maximum 4 kV

Maximum Switching Current	16 A
Rated Frequency (f)	50 ... 60 Hz
Maximum Load Capacity	16 A 10 A
Maximum Switching Power	4000 W
	2 W
Power Loss	2 W
Power Supply	230 V AC
Accuracy	± 0.5sec/24h
Number of Channels	1
Maximum Number of Programs	120
Tightening Torque	0.5 N·m
Minimum Switching Time	1 minute [unit of time]
Contact Type	Change-Over (CO)
Meter Type	Digital
Mounting Type	DIN-Rail
Options Provided	With running reserve
Battery Chemical Composition	Lithium
Battery Life	5 year
Battery Type	Button Cell
Battery Weight	0.003 kg
Number of Batteries	1
Connecting Capacity	Solid 2.5 mm ²
Rated Switching Capacity	2000 W FluorescentLamps 600 V·A 2000 W 600 V·A 500 W

Material Compliance

RoHS Information	2CSC441018D2701
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20211115
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -20 ... +50 °C Storage -25 ... +70 °C
Degree of Protection	Housing IP20

Dimensions

Width in Number of Modular Spacings	2
Product Net Width	35 mm
Product Net Height	65 mm

Product Net Depth / Length	87 mm
Product Net Weight	0.129 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.210 kg
E-Number (Finland)	2619408
E-Number (Sweden)	1330652

Certificates and Declarations

Declaration of Conformity - CE	2CSC441018D2701
--------------------------------	-----------------

Installation

Instructions and Manuals	2CSM441044D0201
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107991A8329
-----------------------------------	-----------------

Classifications

ETIM 8	EC002305 - Digital time switch for distribution board
ETIM 9	EC002305 - Digital time switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85364900
eClass	V11.0 : 27200110
Object Classification Code	K

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Control and Automation Devices → Analogue and Digital Time Switches

