TSR 1/3



PRODUCT-DETAILS

TSR

TSR Bell and buzzer



General Information	
Extended Product Type	TSR
Product ID	2CSM100000R0831
EAN	8012542369608
Catalog Description	TSR Bell and buzzer
Long Description	Bell characterized by discontinuous use through one or more pushbuttons, suitable for public and tertiary acoustic signalling.

Technical	
Standards	EN 62080
Rated Voltage (U _r)	230 V AC
Rated Operational Voltage	230 V AC
Primary Voltage	230 V AC
Rated Frequency (f)	50 Hz
	5.5 V·A
Sound / Tone Type	Intermittent
Sound dB (A)	Bell (1 m) 80 dB

TSR 2/3

Buzzer (1 m) 70 dE Threetones (1 m) 84 dE
Transformer included
Vertical only
Discontinous operations: the device need rest time between two consecutive functionings
Maximum 10 mm
2CSC446002K020
Following EU Directive 2002/95/EC August 18, 2005 and amendment
31/03/2006 0.00.00
9AKK108467A9482
9AKK108468A3363
IP4(
See RoHS Information
See Notis information
2
35 mm
0.085 m
0.075 n
0.300 kg
box 6 piece
1.654 kg
2CSC446012D2702

Popular Downloads

TSR 3/3

Data Sheet, Technical 9AKK107991A8334 Information

Classifications	
ETIM 8	EC001547 - Bell transformer
ETIM 9	EC001547 - Bell transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0:27031190
Object Classification Code	н

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Bells\ and\ Buzzers$





