NTI/Z 28.30.1 1/3



PRODUCT-DETAILS

NTI/Z 28.30.1

NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA



General Information	
Extended Product Type	NTI/Z 28.30.1
Product ID	2CDG110096R0011
EAN	4016779663168
Catalog Description	NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA
Long Description	The device is used for on site commissioning of KNX devices should KNX system voltage be unavailable. The most important functions of a KNX device with manual operation can be tested.

Installation	
Instructions and Manuals	2CDC501040D0201
Mounting Type	Accessory

Technical	
Data Sheet, Technical	2CDC501040D0201
Information	

NTI/Z 28.30.1 2/3

Number of Outputs	1
Number of LEDs	1
Number of Supplied Lines	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Manual Operation	No
Number of Batteries	0

Electrical	
Auxiliary Voltage AC/DC	110 230 V AC
Output Voltage (U _{out})	24 V DC
Buffer Voltage	No
Output Current Maximum (I _{out})	0.03 A
Power Loss	1 W

Design	
Color	light grey

Material Compliance	
RoHS Information	2CDK501012D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20

Dimensions	
Product Net Width	55 mm
Product Net Height	25.5 mm
Product Net Depth / Length	55 mm
Product Net Weight	0.12 kg

Certificates and Declarations	
Declaration of	2CDK501012D2701
Conformity - CE	

Classifications

NTI/Z 28.30.1 3/3

ETIM 9	EC000675 - Power supply for bus system
eClass	V11.0 : 27143114
UNSPSC	39121004
IDEA Granular Category Code (IGCC)	4127 >> Power supply units
Object Classification Code	Ā
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow Power\ Supply \rightarrow KNX\ Power\ Supplies$

