




---

 PRODUCT-DETAILS

# TR3

## TR3 Toroidal Transformer




---

**General Information**

Extended Product Type	TR3
Product ID	2CSG080100R1211
EAN	8012542020509
Catalog Description	TR3 Toroidal Transformer
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. According to the same diameter, transformers are made in a single version for all relay sensitivity values.

---

**Technical**

Current Limit Function	FS 5
Secondary Output Connection	Screw connection
Model Number	Through-feed current converter
Number of Inputs	Primary 1
Meter Type	not openable

## Material Compliance

RoHS Information	9AKK106713A5628
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190722
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Product Net Width	0.150 m
Product Net Height	0.160 m
Product Net Depth / Length	0.050 m
Product Net Weight	0.400 kg
Inside Diameter	80 mm
Bore Diameter	110 mm

## Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.46 kg
E-Number (Finland)	7037933
E-Number (Sweden)	2161643

## Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5628
--------------------------------	-----------------

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
-----------------------------------	-----------------

## Classifications

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	F

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

