



 PRODUCT-DETAILS

RD2-48

RD2-48 Residual Current Monitor



General Information

Extended Product Type	RD2-48
Product ID	2CSM242120R1201
EAN	8012542537809
Catalog Description	RD2-48 Residual Current Monitor
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. Operating voltage: 48...150V a.c./d.c.

Technical

Standards	IEC EN 62020
Type of Residual Current	Type A
Function	For AC-current system
Rated Voltage (U_r)	400...400 V
Rated Operational Voltage	48 ... 150 V AC/DC
Rated Control Supply Voltage (U_s)	(DC) 120...150 V (DC) 120...150 V (50 Hz) 150...150 V

	(50 Hz) 150...150 V (60 Hz) 150...150 V (60 Hz) 150...150 V
Current Rating	Response value amperage 1 2000 ... 2000 mA
Rated Frequency (f)	50 ... 60 Hz
Power Loss	3.4 W
Number of Contacts	1
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	0
Delay Time (T)	Delay-On Energization, Maximum, Permitted 5 second [unit of time] Delay-On Energization, Minimum, Adjustable 0.3 second [unit of time]
Mounting Type	DIN-Rail
Filter Option	no frequency filter
Options Provided	Pre-alarm threshold: no

Material Compliance

RoHS Information	9AKK106713A5627
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190722
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	35 mm
Product Net Height	0.085 m
Product Net Depth / Length	65 mm
Product Net Weight	0.105 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.15 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5627
--------------------------------	-----------------

Installation

Instructions and Manuals	0400 - 9924
--------------------------	-------------

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
-----------------------------------	-----------------

Classifications

ETIM 8	EC001445 - Residual current monitoring relay
ETIM 9	EC001445 - Residual current monitoring relay
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85364190
eClass	V11.0 : 27371809
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

