TR5/A 1/3



## PRODUCT-DETAILS

## TR5/A

## TR5/A Toroidal Transformer



General Information	
Extended Product Type	TR5/A
Product ID	2CSG210200R1211
EAN	8012542065708
Catalog Description	TR5/A Toroidal Transformer
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents.  Through minidip you can set sensitivity and intervention time. According to the same diameter, transformers are made in a single version for all relay sensitivity values.

Technical	
Current Limit Function	FS 5
Apparent Power Output	630 V·A
Secondary Output Connection	Screw connection
Model Number	Through-feed current converter
Number of Inputs	Primary 1
Meter Type	openable

TR5/A 2/3

Material Compliance	
Material Compliance	0.41/106712.45620
RoHS Information RoHS Status	9AKK106713A5628 Following EU Directive 2011/65/EU
RoHS Date	20190722
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
(CIVICL)	
Dimensions	
Product Net Width	0.290 m
Product Net Height	0.310 m
Product Net Depth / Length	0.055 m
Product Net Weight	1.350 kg
Inside Diameter	
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.45 kg
E-Number (Sweden)	2161645
	_
Certificates and Declarations	0.14440074017001
Declaration of Conformity - CE	9AKK106713A5628
In the Hothers	
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	9AKK107046A0424
Classifications	
Classifications	F0000040 0 /
ETIM 8	EC002048 - Current transformer
ETIM 9 WEEE Category	EC002048 - Current transformer 5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	5. Small Equipment (No External Dimension More Than 30 cm)  Business To Business
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	F

TR5/A 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Monitors,\ RCMs$ 





