




---

 PRODUCT-DETAILS

# TR5

## TR5 Toroidal Transformer




---

### General Information

Extended Product Type	TR5
Product ID	2CSG210100R1211
EAN	8012542024804
Catalog Description	TR5 Toroidal Transformer
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. According to the same diameter, transformers are made in a single version for all relay sensitivity values.

---

### Technical

Current Limit Function	FS 5
Apparent Power Output	200 V·A
Secondary Output Connection	Screw connection
Model Number	Through-feed current converter
Number of Inputs	Primary 1
Meter Type	not openable

---

## Material Compliance

RoHS Information	9AKK106713A5628
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190722
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---



---

## Dimensions

Product Net Width	0.290 m
Product Net Height	0.310 m
Product Net Depth / Length	0.055 m
Product Net Weight	1.050 kg
Inside Diameter	210 mm

---



---

## Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.2 kg

---



---

## Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5628
--------------------------------	-----------------

---



---

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

---



---

## Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
-----------------------------------	-----------------

---



---

## Classifications

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	F

---

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

