



---

**PRODUCT-DETAILS**

# E233-24

## E233-24 Hour Counter



---

**General Information**

Extended Product Type	E233-24
Product ID	2CDE40000R1601
EAN	4012233630103
Catalog Description	E233-24 Hour Counter
Long Description	E233-24 is a working hour meter, working with 24V voltage and 50Hz frequency

---

**Technical**

Rated Voltage ( $U_r$ )	24 V AC
Voltage Range	21 ... 27 V
Rated Frequency (f)	50 / 60 Hz
Power Loss	1.5 W
Accuracy	Reading Accuracy Class 0.01 h
Mounting Type	DIN-Rail

---

**Material Compliance**

RoHS Information	2CDK440005K0202
------------------	-----------------

RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	0046
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	32aa174d-9848-4519-a964-e64ad56577f7 Germany (DE)

---

## Environmental

Environmental Information	2CDU400019D0201
---------------------------	-----------------

---

## Dimensions

Width in Number of Modular Spacings	1
Product Net Width	17.5 mm
Product Net Height	85 mm
Product Net Depth / Length	58 mm
Product Net Weight	0.05 kg

---

## Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	0.6 kg
E-Number (Finland)	6680132

---

## Certificates and Declarations

Declaration of Conformity - CE	2CDK443001D0403
--------------------------------	-----------------

---

## Installation

Instructions and Manuals	2CSC400002D0208
--------------------------	-----------------

---

## Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
-----------------------------------	-----------------

---

## Classifications

ETIM 8	EC001641 - Hour meter
ETIM 9	EC001641 - Hour meter
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	9029 10 00
eClass	V11.0 : 27142313
Object Classification Code	P

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Hour Counters

