



 PRODUCT-DETAILS

MSH-AR

MSH-AR Shaft alignment ring suitable for MSHD and MSH handles



General Information

| | |
|-----------------------|--|
| Extended Product Type | MSH-AR |
| Product ID | 1SAM201920R1000 |
| EAN | 4013614480416 |
| Catalog Description | MSH-AR Shaft alignment ring suitable for MSHD and MSH handles |
| Long Description | The shaft alignment ring MSH-AR can be used in door coupling solutions for operating manual motor starters MS116, MS132 or MS165 in the back of a switch cabinet from outside. MSH-AR supports long shafts OXS6 for alignment to the handle inlet. It is mandatory for the usage of shafts longer than 105 mm. |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC100173C0201 |
| Instructions and Manuals | 2CDC131044M6801 |

CAD Dimensional
Drawing

2CDC001079B0201

Dimensions

| | |
|-------------------------------|---------|
| Product Net Width | 55 mm |
| Product Net Height | 55 mm |
| Product Net Depth / Length | 25 mm |
| Product Net Weight | 0.02 kg |

Technical

| | |
|----------------------------|---|
| Shaft Diameter | 6x6 mm |
| Product Name | Shaft Alignment Ring |
| Suitable For | MS116 MS132 MO132 MS450 MS451 MS495 MS496 MS497 MO450 MO495 MO496 |
| Suitable for Product Class | Manual Motor Starter Accessories |
| Accessory Group | Mechanical |
| Accessory Type | Shaft Alignment Ring |

Material Compliance

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 1SAA963005-4502 |
| RoHS Information | 1SAA963006-4502 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006539 |
| WEEE Category | Product Not in WEEE Scope |

Certificates and Declarations

| | |
|-------------------------------------|-----------------|
| Declaration of Conformity - CE | 1SAD101100-3411 |
| Declaration of Conformity - UKCA | 1SAD201100-3411 |

Container Information

| | |
|-----------------------------------|---------------|
| Package Level 1 Width | 155 mm |
| Package Level 1 Depth / Length | 27 mm |
| Package Level 1 Height | 130 mm |
| Package Level 1 Gross Weight | 0.02 kg |
| Package Level 1 EAN | 4013614480416 |
| Package Level 1 Units | 1 piece |

Classifications

| | | |
|------------------------------------|--|------------------|
| Object Classification Code | | X |
| ETIM 4 | EC002498 - Accessories for low-voltage switch technology | |
| ETIM 5 | EC002498 - Accessories for low-voltage switch technology | |
| ETIM 6 | EC002498 - Accessories for low-voltage switch technology | |
| ETIM 7 | EC002498 - Accessories for low-voltage switch technology | |
| ETIM 8 | EC002498 - Accessories/spare parts for low-voltage switch technology | |
| eClass | | V11.0 : 27371392 |
| UNSPSC | | 39122221 |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory | |

Categories

Low Voltage Products and Systems → Circuit Breakers → Manual Motor Starters
Low Voltage Products and Systems → Control Products → Manual Motor Starters → Manual Motor Starters

