

PRODUCT-DETAILS

## **CR-PLS** CR-PLS Logical socket for 1c/o or 2c/o CR-P relays



General Information	
Extended Product Type	CR-PLS
Product ID	1SVR405650R0000
EAN	4013614528569
Catalog Description	CR-PLS Logical socket for 1c/o or 2c/o CR-P relays
Long Description	The CR-PLS socket is from the CR-P (pcb) relay range. The logical socket with safety isolation is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering	
EAN	4013614528569
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

## **Popular Downloads**

Data Sheet, Technical

© 2024 ABB. All rights reserved.

2CDC110004C0210\_05

2024/04/12

Subject to change without notice

Information	
Instructions and	1SVC405650M9000
Manuals	
CAD Dimensional	2CDC001079B0201
Drawing	

Dimensions	
Product Net Width	15.5 mm
Product Net Height	61 mm
Product Net Depth / Length	75 mm
Product Net Weight	0.045 kg

Technical	
Function	Accessory for interface relays CR-P
Sub-Function	Socket for PCB relays
Sub-Function 2	Logical socket for pcb relay 1 c/o or 2 c/o with protective separation
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I <sub>e</sub> )	(230 V) 2 A
Rated Insulation Voltage (U <sub>i</sub> )	5 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA	
Connecting Capacity	Flexible with Ferrule 2x 20-16 AWG
Main Circuit UL/CSA	Rigid 2x 20-14 AWG
	Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

Environmental	
Ambient Air Temperature	Operation -40 +70 °C Storage -40 +70 °C
Maximum Operating	2000 m
Altitude Permissible	

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

© 2024 ABB. All rights reserved.

Circular Value	
Environmental Information	1SAC200048H0009
Certificates and Declarations	
CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC RU C-DE.ME77.B.00446-19
Package Level 1 Units	
Tackage Level 1 offics	box 10 piece
	-
Package Level 1 Width Package Level 1 Depth /	159 mm
Package Level 1 Width Package Level 1 Depth / Length	159 mm 80 mm
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross	159 mm 80 mm 64 mm
Package Level 1 Width	159 mm 80 mm 64 mm 0.452 kg
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross Weight	159 mm 80 mm 64 mm 0.452 kg
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross Weight Package Level 1 EAN	159 mm 80 mm 64 mm 0.452 kg
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross Weight	159 mm 80 mm 64 mm 0.452 kg 4013614373077
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross Weight Package Level 1 EAN Classifications Object Classification	159 mm 80 mm 64 mm 0.452 kg 4013614373077 k
Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height Package Level 1 Gross Weight Package Level 1 EAN  Classifications Object Classification Code	box 10 piece 159 mm 80 mm 64 mm 0.452 kg 4013614373077 4013614373077 K EC001456 - Relay socket EC001456 - Relay socket

## Categories

ETIM 9

eClass

UNSPSC

E-Number (Finland)

E-Number (Sweden)

 ${\sf Low \ Voltage \ Products \ and \ Systems \ \rightarrow \ Control \ Products \ \rightarrow \ Electronic \ Relays \ and \ Controls \ \rightarrow \ Interface \ Relays \ and \ Optocouplers \ And \$ 

© 2024 ABB. All rights reserved.

EC001456 - Relay socket

V11.0 : 27371603

39122335

2712755

4005315

