




---

 PRODUCT-DETAILS

# CR-PSS

## CR-PSS Standard socket for 1c/o or 2c/o CR-P relays




---

**General Information**

Extended Product Type	CR-PSS
Product ID	1SVR405650R1000
EAN	4013614528590
Catalog Description	CR-PSS Standard socket for 1c/o or 2c/o CR-P relays
Long Description	The CR-PSS socket is from the CR-P (pcb) relay range. The standard socket is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

---

**Ordering**

EAN	4013614528590
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

---

**Popular Downloads**

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9000

CAD Dimensional  
Drawing

2CDC001079B0201

---

**Dimensions**

---

Product Net Width	15.5 mm
Product Net Height	42.5 mm
Product Net Depth / Length	75 mm
Product Net Weight	0.038 kg

---

**Technical**

---

Function	Accessory for interface relays CR-P
Sub-Function	Socket for PCB relays
Sub-Function 2	Standard socket for pcb relay 1 c/o or 2 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I <sub>g</sub> )	(230 V) 2 A
Rated Insulation Voltage (U <sub>i</sub> )	5 V
Mounting Position	1
Standards	CAN/CSA C22.2 No. 14 IEC/EN 63000 IEC/EN 61984 UL 508

---

**Technical UL/CSA**

---

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

---

**Environmental**

---

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

---

**Material Compliance**

---

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

---

**Circular Value**

---

Environmental Information	1SAC200048H0009
---------------------------	-----------------

## Certificates and Declarations

CSA Certificate	CSA 262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC RU C-DE.ME77.B.00446-19

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	81 mm
Package Level 1 Depth / Length	88 mm
Package Level 1 Height	74 mm
Package Level 1 Gross Weight	0.382 kg
Package Level 1 EAN	4013614373084

## Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712758
E-Number (Sweden)	4005317

## Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

