





---

 PRODUCT-DETAILS

## CR-M3SS

### CR-M3SS Standard socket for 3c/o CR-M relay




---

#### General Information

Extended Product Type	CR-M3SS
Product ID	1SVR405651R2000
EAN	4013614528651
Catalog Description	CR-M3SS Standard socket for 3c/o CR-M relay
Long Description	The CR-M3SS socket is from the CR-M (miniature) relay range. The standard socket is suitable for CR-M relays with 3 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

---

#### Ordering

EAN	4013614528651
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

---

#### Popular Downloads

Data Sheet, Technical	2CDC110004C0210_05
-----------------------	--------------------

## Information

Instructions and Manuals	1SVC405650M9000
CAD Dimensional Drawing	2CDC001079B0201

## Dimensions

Product Net Width	27 mm
Product Net Height	42.5 mm
Product Net Depth / Length	82 mm
Product Net Weight	0.068 kg

## Technical

Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Standard socket for miniature relay 3 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I <sub>e</sub> )	(230 V) 7 A
Rated Insulation Voltage (U <sub>i</sub> )	3 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

## Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

## Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

## Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

---

**Circular Value**


---

Environmental Information	1SAC200048H0009
---------------------------	-----------------

---



---

**Certificates and Declarations**


---

CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19

---



---

**Container Information**


---

Package Level 1 Units	box 10 piece
Package Level 1 Width	141 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	0.682 kg
Package Level 1 EAN	4013614373794

---



---

**Classifications**


---

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712715
E-Number (Sweden)	4005372

---



---

**Categories**


---

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

Medium Voltage Products and Systems → Switchgear and Motor Control → IEC - Primary Air Insulated Switchgear → UniGear → UniGear ZS2

