CR-M4SS 1/4



PRODUCT-DETAILS

CR-M4SS

CR-M4SS Standard socket for 2c/o or 4c/o CR-M relay



General Information	
Extended Product Type	CR-M4SS
Product ID	1SVR405651R3000
EAN	4013614528675
Catalog Description	CR-M4SS Standard socket for 2c/o or 4c/o CR-M relay
Long Description	The CR-M4SS socket is from the CR-M (miniature) relay range. The standard socket is suitable for CR-M relays with 2 and 4 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering	
EAN	4013614528675
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Donu	lar I	7014	nlaa	dc

Data Sheet, Technical Information Instructions and Manuals 2CDC110004C0210_05

1SVC405650M9000

Subject to change without notice

CR-M4SS 2/4

2CDC001079B0201 **CAD Dimensional** Drawing Dimensions Product Net Width 27 mm 42.5 mm Product Net Height 82 mm Product Net Depth / Length 0.07 kg Product Net Weight Technical **Function** Accessory for interface relays CR-M Sub-Function Socket for miniature relays Standard socket for miniature relay 2 c/o or 4 c/o Sub-Function 2 Rated Operational Voltage 250 V Output none **Terminal Type** Screw Terminals Rated Operational Current (230 V) 7 A AC-12 (I_e) Rated Insulation Voltage 3 V (U_i) Mounting Position Standards CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 **UL 508** Technical UL/CSA Flexible with Ferrule 2x 20-16 AWG Connecting Capacity Main Circuit UL/CSA Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG Flammability According to V-0 Environmental Ambient Air Temperature Operation -40 ... +70 °C Storage -40 ... +70 °C Maximum Operating 2000 m Altitude Permissible Material Compliance **Conflict Minerals** 9AKK108467A5658 Reporting Template (CMRT) **REACH Declaration** 1SVD981001-4501 **RoHS Information** 1SVD981001-4401 RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 **Toxic Substances Control** 2CMT2023-006536 Circular Value 1SAC200048H0009 **Environmental Information**

CR-M4SS 3/4

Certificates and Declarations	
CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC RU C-DE.ME77.B.00446-19

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	141 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	0.702 kg
Package Level 1 EAN	4013614373800

Classifications	
Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712717
E-Number (Sweden)	4005374

Categories

 $\begin{tabular}{ll} Low Voltage Products and Systems \rightarrow Control Products \rightarrow Electronic Relays and Controls \rightarrow Interface Relays and Optocouplers \\ Medium Voltage Products and Systems \rightarrow Service \rightarrow Spares and Consumables \rightarrow Parts \rightarrow All Spare Parts (Relays-SWG-CB) \\ \end{tabular}$

CR-M4SS 4/4





