





---

 PRODUCT-DETAILS

## IS2-EV0003

### IS2-EV0003 Control and Automation Board




---

#### General Information

Extended Product Type	IS2-EV0003
Product ID	EV0003
EAN	8015646695338
Catalog Description	IS2-EV0003 Control and Automation Board
Long Description	Cabinet joining kit

---

#### Technical

Standards	See code for structure
Sub-Function 3	Coupling set, side
Suitable For	IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Accessory Type	14. Kit for placing structures side by side
Mounting Type	Kit Pre assembled
Product Type	5B5B30B391
Material	Pickled steel sheet

Remarks

ETIM

---

## Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

---

## Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

---

## Dimensions

Product Net Width	250 mm
Product Net Height	35 mm
Product Net Depth / Length	250 mm
Product Net Weight	0.494 kg
Reference Depth/Length	300 mm
	400 mm
	500 mm
	600 mm
	800 mm
	1000 mm
Reference Height	1400 mm
	1600 mm
	1800 mm
	2000 mm
	2200 mm
Reference Width	400 mm
	600 mm
	800 mm
	1000 mm
	1200 mm
	1600 mm

---

## Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	0.495 kg

---

## Certificates and Declarations

Declaration of Conformity - CE	1STC860113
--------------------------------	------------

---

## Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

---

## Popular Downloads

---

Data Sheet, Technical  
Information

1STC804013D0209

---

---

## Classifications

---

ETIM 8	EC002622 - Components for arrangement / baying system (enclosure/cabinet)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
eClass	V11.1 : 27182813
Object Classification Code	U

---

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures -  
Baying (Horizontal Joining) → IS2

