



PRODUCT-DETAILS

JRA/S 4.24.5.1

JRA/S4.24.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 24 V DC, Man Op, MDRC



General Information	
Extended Product Type	JRA/S 4.24.5.1
Product ID	2CDG110128R0011
EAN	4016779698474
Catalog Description	JRA/S4.24.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 24 V DC, Man Op, MDRC
Long Description	For the control of up to 4 independent 24 V DC drives via ABB i-bus® KNX. The device is designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. The travel times of the drive are detected automatically via current detection. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs.

Installation	
Instructions and Manuals	2CDG941079P0005
Mounting Type	DIN-Rail

Technical

Data Sheet, Technical Information	2CDC506040D0201 2CDC506064D0202
Special Functions	Switching
Number of Outputs	4
Number of LEDs	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Manual Operation	Yes
Number of Batteries	0

Electrical

Current Type	DC
Voltage Range	24 V
Output Voltage (U _{out})	24 V DC
Maximum Switching Current	16 A
Maximum Switching Power	2400 W
Power Loss	0.25 W

Design

Color	light grey
-------	------------

Material Compliance

RoHS Information	2CDG510125-0100
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	72 mm
Product Net Height	90 mm
Product Net Depth / Length	64.5 mm
Product Net Weight	0.22 kg
Built-In Depth (t ₂)	64.5 mm
Dimension Diagram	2CDC072033F0015

Certificates and Declarations

CB Certificate	9AKK107991A3191
Declaration of Conformity - CE	2CDK506043D2701
KNX Certificate	9AKK105710A0051

Classifications


ETIM 9	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128
UNSPSC	39121801
Object Classification Code	A
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
GHQ6310084R0111	JSB/S1.1 Shutter Control Unit, MDRC	JSB/S 1.1	1	piece

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Shading Control → Blind Actuators 24 V DC



360°