TS 63/12-24 C 1/3



PRODUCT-DETAILS

## TS 63/12-24 C TS 63/12-24 C Safety isolating transformer



General Information	
Extended Product Type	TS 63/12-24 C
Product ID	2CSM631043R0811
EAN	8012542928706
Catalog Description	TS 63/12-24 C Safety isolating transformer
Long Description	TS-C are ideal for supplying permanent power to meters, auxiliary electronic devices and circuits with very low safety voltage (SELV) for bathrooms and showers, lighting, fountains, electro-medical devices and suchlike.

Technical	
Standards	IEC/EN 61558-2-6
Application	Building and Industrial
Rated Operational Voltage	230 V AC
Primary Voltage	230 V
Secondary Voltage	(10-12) 12 V AC (10-14) 24 V AC (12-14) 0 V AC
Secondary Current	(10-12) 5.3 A (10-14) 2.63 A (12-11) 0 A
Output Current Maximum	2.63 A

TS 63/12-24 C 2/3

(I <sub>out</sub> )		
Rated Frequency (f)	50/60 Hz	
Power Loss	< 15 (full load) W	
Power Supply	63 V·A	
Rated Output Power	63 W	
Insulation Class	В	
Tightening Torque	0.5 N·m	
Transformer Type	Non - Inherently Short Circuit Proof	
Options Provided	None	
Remarks	Suitable for loads that require a continuous supply. Double insulation between primary and secondary windings	
Connecting Capacity	2.5 mm <sup>2</sup>	
Wire Stripping Length	9 mm	
Material Compliance		
RoHS Information	9AKK106713A5646	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment	
RoHS Date	20/04/2006 0.00.00	
REACH Declaration	9AKK108467A9482	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363	
Environmental		
Ambient Air Temperature	Operation +10 +40 °C	
Degree of Protection	IP20	
Environmental Information	See RoHS Information	
Technical UL/CSA		
Connecting Capacity	14 AWG	
UL/CSA		
Dimensions		
Width in Number of	5	
Modular Spacings	3	
Product Net Width	87.5 mm	
Product Net Height	0.085 m	
Product Net Depth /	0.120 m	
Length Product Net Weight	1.224 kg	
TOUGET NET WEIGHT	1.22.T NV	
Ordering		
Package Level 1 Units	box 1 piece	
Package Level 1 Gross Weight	1.224 kg	
E-Number (Finland)	8409008	
E-Number (Sweden)	5208118	
Ontification and Device the second		
Certificates and Declarations		
Certification Agency	IMQ	

TS 63/12-24 C 3/3

Declaration of Conformity - CE	9AKK106713A5646
IMQ Certificate	9AKK107992A6751
Installation	
Instructions and Manuals	No document needed
Wiring Diagram	9AKK108467A7343
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329

Classifications	
ETIM 8	EC001547 - Bell transformer
ETIM 9	EC001547 - Bell transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27031190
Object Classification Code	Т

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Bells\ and\ Safety\ Transformers$ 





