E204/125G 1/3



PRODUCT-DETAILS

E204/125G E204/125G Switch Disconnector



General Information	
Extended Product Type	E204/125G
Product ID	2CDE284001R1125
EAN	4016779646314
Catalog Description	E204/125G Switch Disconnector
Long Description	These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE. CCC. KEMA

Technical	
Standards	IEC/EN 60947-3
Rated Voltage (U _r)	400 V 12 V Minimum
Input Voltage Type	AC
Rated Current (I _n)	125 A
Rated Service Short- Circuit Breaking Capacity (I _{cs})	6 kA
Power Loss	at Rated Operating Conditions per Pole 6.1 W

E204/125G 2/3

Number of Contacts CO	0	
Number of Contacts NC	0	
Number of Contacts NO	4	
Number of Poles		
Switch Type	Off	
Cover Color	Grey	
Material Compliance		
RoHS Information	200844000280201	
RoHS Status	2CDK440002K0201 Following EU Directive 2011/65/EU	
RoHS Date	20110701	
REACH Declaration	9AKK108468A9644	
REACH Information	False - does not contains substances > 0.1 mass percentage	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363	
(CIVICT)		
Environmental		
Degree of Protection	IP10	
Dimensions		
Width in Number of Modular Spacings	4	
Product Net Width	70 mm	
Product Net Height	85 mm	
Product Net Depth / Length	69 mm	
Product Net Weight	0.39 kg	
Built-In Depth (t ₂)	70 mm	
Ordering		
Package Level 1 Units	2 piece	
Package Level 1 Gross Weight	0.825 kg	
Certificates and Declarations		
Certification Agency	EN IEC	
Declaration of Conformity - CE	2CDK441011D0403	
Installation		
Instructions and Manuals	2CSC400002D0208	
Popular Downloads		
Data Sheet, Technical Information	2CSC400002D0209	

E204/125G 3/3

Classifications	
ETIM 8	EC001545 - Main switch for distribution board
ETIM 9	EC001545 - Main switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27142301

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Command\ and\ Signalling\ Devices\ \rightarrow\ Switch\ Disconnectors$









3605