



PRODUCT-DETAILS

P9MMN4T

P9MMN4T Joystick



General Information

| | |
|-----------------------|--|
| Extended Product Type | P9MMN4T |
| Product ID | 1SFA184721R9006 |
| EAN | 7320500522684 |
| Catalog Description | P9MMN4T Joystick |
| Long Description | The P9MMN4T Joystick is: Modular metal - Joystick with holder - 4-position - Momentary - Joystick without latching function - Black - Non-illuminated - Metal This Joystick is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range. |

Ordering

| | |
|------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536501990 |

Popular Downloads

| | |
|-----------------------|----------------|
| Data Sheet, Technical | 1SFC151007C02_ |
|-----------------------|----------------|

Information

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 1SFC151011M0201 |
|--------------------------|-----------------|

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 29.7 mm |
| Product Net Height | 44.5 mm |
| Product Net Depth / Length | 97.5 mm |
| Product Net Weight | 0.091 kg |

Technical

| | |
|-------------------------|---|
| Ambient Air Temperature | Operation -30 ... 70 °C Storage -40 ... +70 °C |
| Color | Black |
| Actuator Type | Joystick without latching function |
| Bezel Material | Metal |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | 4-position |
| Maintained Positions | B |
| Spring Return From | A and C and D and E to B |
| Enclosure Type NEMA | Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X |
| Mechanical Durability | 0.5 million |

Environmental

| | |
|----------------------|------------|
| Degree of Protection | Front IP66 |
|----------------------|------------|

Material Compliance

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Certificates and Declarations

| | |
|----------------|-----------------|
| BV Certificate | 2CMT2019-005867 |
|----------------|-----------------|

| | |
|----------------------------------|-----------------|
| CB Certificate | 2CMT2019-005872 |
| CSA Certificate | 2CMT2019-005868 |
| Declaration of Conformity - CE | 2CMT2019-005862 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | 2CMT2019-005876 |
| RINA Certificate | 2CMT2019-005866 |
| UL Certificate | 2CMT2019-005868 |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 41 mm |
| Package Level 1 Depth / Length | 113 mm |
| Package Level 1 Height | 41 mm |
| Package Level 1 Gross Weight | 0.091 kg |
| Package Level 1 EAN | 7320500522684 |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 7 | EC000632 - Control switch, Joystick |
| ETIM 8 | EC000632 - Control switch, Joystick |
| eClass | V11.0 : 27371404 |
| UNSPSC | 39122227 |
| IDEA Granular Category Code (IGCC) | 5280 >> Joystick switch or control |
| E-Number (Finland) | 2314787 |
| E-Number (Sweden) | 3705878 |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M → P9MM Joysticks

