
Q843B618 1/3



PRODUCT-DETAILS

Q843B618

Q843B618 Cabinet, 1849 mm x 600 mm x 250 mm



Technical	
Power Loss	Δt = 25K 84 W
	$\Delta t = 30 \text{K} 119 \text{ W}$
	$\Delta t = 35 \text{K} 158 \text{ W}$
	$\Delta t = 40 \text{K} 198 \text{ W}$

Q843B618 2/3

Material	Steel
RAL Number	RAL 7035 - Light Grey
Color	Grey
Number of Batteries	0

Material Compliance	
RoHS Information	9AKK108468A9942
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20231210
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	600 mm
Product Net Height	1849 mm
Product Net Depth / Length	250 mm
Product Net Weight	36.94 kg

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	39.75 kg

Certificates and Declarations	
Declaration of	9AKK108468A9942
Conformity - CE	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	9AKK107680A9002

Classifications	
ETIM 8	EC002524 - Side-/back panel (enclosure/cabinet)
ETIM 9	EC002524 - Side-/back panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer

Q843B618 3/3

 CN8
 85381000

 eClass
 V11.0 : 27182101

 Object Classification
 U

 Code
 U

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow System\ pro\ E\ energy\ Low\ System\ pro\ E\ energy\ E\ energy\$





