TY528MR 1/3



PRODUCT-DETAILS

## TY528MR CABLE TIE 50LB 14IN NATURAL NYLON

General Information	
Extended Product Type	TY528MR
Product ID	7TCG009450R0183
EAN	5414363065906
Catalog Description	CABLE TIE 50LB 14IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum or as a Flexible Cable and Conduit Support, Length of 360.5mm (14.2 Inches), Width of 4.82mm (0.19 Inches), Thickness of 1.4mm (0.05 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Euroslot Packaging

Ordering	
E-Number (Finland)	1381533
EAN	5414363065906
UPC	786210626253
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

## Dimensions

TY528MR 2/3

Product Net Width	0.189 in 4.82 mm
Product Net Depth /	14.2 in
Length	361 mm
Container Information	
Package Level 1 Units	100 piece
Package Level 2 Units	5000 piece
Package Level 2 Width	10.2 in
Package Level 2 Height	259 mm 13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm
Technical UL/CSA	
Flammability According to UL94	V-2
Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 4.02 in
Color	3 to 102 mm
Color Effective Date	Natural 19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TYRAP PK 100 PCS NATURAL
Product Type	High Performance
RoHS Date	9AKK107991A8366
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm
Certificates and Declarations	
Data Sheet, Technical Information	TDS000518
Declaration of Conformity - CE	9AKK107492A9841
Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY528MR 3/3

$\sim$	
COTAC	ories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$