




 PRODUCT-DETAILS

VM4

VM4 Mechanical Interlock Unit



General Information

Extended Product Type	VM4
Product ID	1SBN030105T1000
EAN	3471523130609
Catalog Description	VM4 Mechanical Interlock Unit
Long Description	VM4 is a mechanical interlock unit designed for the interlocking side-by-side without additional width of two 3-pole or 4-pole AF09...AF38, AFC09...AFC38, AFS09...AFS38 contactors. When mounted between two contactors, the VM4 mechanical interlock unit prevents one of the contactors from closing as long as the other contactor is closed. The mechanical interlock unit VM4 includes 2 fixing clips (BB4).

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099

Popular Downloads

Instructions and	1SBC101028M6801
------------------	-----------------

Manuals

CAD Dimensional
Drawing

2CDC001079B0201

Dimensions

Product Net Width	20 mm
Product Net Depth / Length	10 mm
Product Net Height	19.8 mm
Product Net Weight	0.005 kg

Technical

Standards IEC/EN 60947-4-1, UL 60947-1, UL 60947-4-1, CSA C22.2 No. 60947-1-13, CSA C22.2 No. 60947-4-1

Maximum Mechanical Switching Frequency 1800 cycles per hour

Suitable For	AF09
	AF09Z
	AF12
	AF12Z
	AF16
	AF16Z
	AF26
	AF26Z
	AF30
	AF30Z
	AF38
	AF38Z
	AFC09
	AFC12
	AFC16
	AFC26
	AFC30
	AFC38
	AFS09
	AFS09Z
	AFS12
	AFS12Z
	AFS16
	AFS16Z
	AFS26
	AFS26Z
	AFS30
	AFS30Z
	AFS38
	AFS38Z
	AF09B
	AF09ZB
	AF12B
	AF12ZB
	AF16B
	AF16ZB
	AF26B
	AF26ZB
	AF30B
	AF30ZB
	AF38B
	AF38ZB

Material Compliance

Conflict Minerals

9AKK108467A5658

Reporting Template (CMRT)	
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

ABS Certificate	ABS_20-2060694-PDA
Declaration of Conformity - CE	1SBD250007U1000
Declaration of Conformity - UKCA	1SBD250038U1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
RINA Certificate	RINA_ELE084013XG
UL Certificate	UL-US-2017443-2 UL-CA-2013922-2
UL Listing Card	UL_E312527

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 Width	120 mm
Package Level 1 Depth / Length	180 mm
Package Level 1 Height	20 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	3471523130609
Package Level 2 Units	box 100 piece
Package Level 2 Gross Weight	0.5 kg
Package Level 3 Units	2400 piece

Classifications

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC001044 - Mechanic interlock for switch
ETIM 7	EC001044 - Mechanic interlock for switch
ETIM 8	EC001044 - Mechanic interlock for switch
eClass	V11.0 : 27371303
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	3706550
E-Number (Sweden)	3210003

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

