

PRODUCT-DETAILS

## N2104.7T PL

## Pushbutton None Single push button 1 pole, 1NO 0NC 1CO Silver - Zenit



N2104.7T PL
2CLA210479N1301
8427238249049
Pushbutton None Single push button 1 pole, 1NO 0NC 1CO Silver - Zenit
Color: Silver. Rated voltage: 110 - 250 Vac Rated current: 16 A Screw-nut terminals 1-gang, 1-way - Normally Opened (NO) contact Optional: locator/indicator LED lamp N2194, N2194.1 & N2194.2 Size: 1 module.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)

© 2024 ABB. All rights reserved.

## **ABB EcoSolutions**

ABB EcoSolutions

		103
Circular Value		
Circular Design Principles Recyclability Rate		52 %
Sustainable Material Content in Packaging		92 %
Offered with Extended Lifetime		Product Upgradability
Offered with Takeback Services		Take Back for Recycling
Eco Transparency		
Environmental Product Declaration - EPD		9AKK108467A7446
Technical		
Data Sheet, Technical Information		9AKK10103A5108
Number of Poles		1
Number of Rocker Switches		1
Actuator Type		Rocker
Connection Type		Screw
Electrical		
Rated Voltage (Ur)		250 V
Rated Current (In)		16 A
Number of Contacts CO		1
Number of Contacts NC Number of Contacts NO		0
Design		
Design Range		Zenit
Surface Finishing		Decor Glossy
Material		Plastic Thermoplastic
Legend		None
Color		Silver
Material Compliance		
Conflict Minerals Reporting Template		9AKK108468A3363
© 2024 ABB. All rights reserved.	2024/04/15	Subject to change

Yes

nge without notice ubject

Environmental	
Degree of Protection	IP20

Dimensions	
Product Net Width	22 mm
Product Net Height	46 mm
Product Net Depth / Length	25 mm
Product Net Weight	20 g
Built-In Depth (t <sub>2</sub> )	25 mm

Certificates and Declarations	
Declaration of Conformity - CE	9AKK108467A8288
Classifications	
ETIM 9	EC000029 - Push button

5. Small Equipment (No External Dimension More Than 50 cm)

**Business To Business** 

## Categories

WEEE Category

WEEE B2C / B2B

Low Voltage Products and Systems  $\rightarrow$  Wiring Accessories - Light Switch Ranges  $\rightarrow$  Cover Plates and Control Elements  $\rightarrow$  Mechanical Controls

3/4

2024/04/15

