N2133.1 BL 1/3



PRODUCT-DETAILS

# N2133.1 BL

# Socket outlet IT P11 White - Zenit



N2133.1 BI
2CLA213310N110
8427238238159
Socket outlet IT P11 White - Zeni
Color: White Rated voltage: 250 Vac Rated current: 10A Type L: 2P + E / P11 Shuttered for child safety Screw terminals Size: 1 module

$\overline{}$	
ΛRR	EcoSolutions
ADD	ECOSOIUCIONS

Instructions and

Manuals

2CLX210109N1001

N2133.1 BL 2/3

ABB EcoSolutions Yes

Circular Value	
Circular Design Principles Recyclability Rate	63.7 %
Sustainable Material Content in Packaging	92 %
Offered with Extended Lifetime	Product Upgradability
Offered with Takeback Services	Take Back for Recycling

# **Eco Transparency**

Environmental Product 9AKK108467A7447
Declaration - EPD

### **Technical**

Data Sheet, Technical Information	9AKK10103A5108
Number of Phases	2
Socket Outlet Type	Power Socket Outlets - Italian P11/17 acc. to CEI 23-50
Number of Batteries	0

## Electrical

Rated Voltage (U <sub>r</sub> )	250 V
Rated Current (In)	10 A

# Design

Design Range	Zenit
urface Finishing	Untreated
-	Glossy
Material	Plasti
	Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White

# **Material Compliance**

RoHS Information	2CLC213310N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template	9AKK108468A3363
(CMRT)	

### Ordering

N2133.1 BL 3/3

Replaced Product ID (OLD) 2CLA213310N1102

## **Certificates and Declarations**

Declaration of 9AKK107046A9871 Conformity - CE

#### Classifications

ETIM 9	EC000125 - Socket outlet
UNSPSC	39121406
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Socket\ Outlets$ 







