

PRODUCT-DETAILS

## N2133 PL Socket outlet IT P17/11 Without imprint Italian type Bipasso Silver - Zenit

## 8

General Information	
Extended Product Type	N2133 PL
Product ID	2CLA213300N1301
EAN	8427238080390
Catalog Description	Socket outlet IT P17/11 Without imprint Italian type Bipasso Silver - Zenit
Long Description	Color: Silver. Rated voltage: 250 Vac Rated current: 16/10A Type L: 2P + E / P17/11 Shuttered for child safety Screw terminals Size: 1 module.
Instructions and	2CLX210109N1001
Manuals	
Mounting Type	Flush Mounted
Type of Fastening	Snapper Mounting

© 2024 ABB. All rights reserved.

Subject to change without notice

## **ABB EcoSolutions**

ABB EcoSolutions

Circular Value	
	C2.7 0
Circular Design Principles Recyclability Rate	63.7 %
Sustainable Material Content in Packaging	92 %
Offered with Extended Lifetime	Product Upgradability
Offered with Takeback Services	Take Back for Recycling
Eco Transparency	
Environmental Product Declaration - EPD	9AKK108467A7447
Technical	
Data Sheet, Technical Information	9AKK10103A5108
Number of Phases	2
Number of Active Pin	C
Terminals	· · · · · · · · · · · · · · · · · · ·
Terminals	1
Terminals	
Terminals Number of Gangs Connection Type	1
Terminals Number of Gangs	screw
Terminals Number of Gangs Connection Type Socket Outlet Type Number of Batteries	Screw Power Socket Outlets - Italian P11/17 acc. to CEI 23-50
Terminals Number of Gangs Connection Type Socket Outlet Type Number of Batteries Electrical	Screw Power Socket Outlets - Italian P11/17 acc. to CEI 23-50
Terminals Number of Gangs Connection Type Socket Outlet Type	Screw Power Socket Outlets - Italian P11/17 acc. to CEI 23-50 C

Design Range	Zenit
Surface Finishing	Decor
	Matt
Material	Plastic
	Thermoplastic
Label Space Provided	No
Legend	Without imprint
Color	Silver

Material Compliance		
RoHS Information		2CLC213300N1301
© 2024 ABB. All rights reserved.	2024/04/15	Subject to change without no

Yes

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.031 kg
Ordering	
Replaced Product ID (OLD)	2CLA213300N1302
Certificates and Declarations	
Declaration of Conformity - CE	9AKK107046A9871
Classifications	
Classifications	
ETIM 9	EC000125 - Socket outlet 5. Small Equipment (No External Dimension More Than 50 cm)
WEEE Category	

## Categories

Low Voltage Products and Systems  $\rightarrow$  Wiring Accessories - Light Switch Ranges  $\rightarrow$  Cover Plates and Control Elements  $\rightarrow$  Socket Outlets

