

## Calotta di copertura per morsetti, 3p (01756)



### Descrizione

#### Articolo

Cod.art.: 01756

Calotta di copertura per morsetti, 3p

larghezza 135 mm

135 x 200 x 90

per barre 20, 25, 30 x 5, 10 e barre profilate

#### Montaggio

60Classic

Gruppo di prodotti 07

Sottogruppo merceologico 36

Pz / conf. 1

EAN 4021267017569

Catalog page 2018 : 3.6

eCl@ss 6.1 27370390  
27370390  
ETIM 4.0 EC002498  
ETIM 5.0 EC002848

## Certificazioni

### Norme

IEC 61439-1:2011  
IEC 60999-1:1999  
IEC 60999-2:2003

### Omologazioni

CSA , UL , Germanischer Lloyd



for UL feeder circuits >250V

Type No.: 512-L

UL file: E123577, UL category (for USA): NMTR <http://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <http://www.ul.com>

CSA file: 110285, CSA class: 3211-37 <http://directories.csa-international.org>

Omologazione CCC : no certification required

## Dati prodotto

### Valori elettrici

short-circuit not applicable, since the product does not contain or carry any live parts or  
withstandability: is not stressed in the case of a short-circuit

### Valori meccanici

L x H x P: 135 x 200 x 90

Peso: 29.5 kg/100

Poli: 3 poli

per barre: 20, 25, 30 x 5, 10 e barre profilate

### **Proprietà materiali**

Corpo temperature stability 125°C,  
base: self-extinguishing in acc. to UL 94,  
creepage resistance CTI 200,  
halogen-free

### **Avvisi e consigli**

Also suitable as reserve section cover.