

Adattatore 590 A, speciale, 3p (32031)

Descrizione

Articolo

Cod.art.: 32031

EQUES® 60Classic

Adattatore 590 A, speciale, 3p

per Siemens 3VA23, 24, 63, 64

140 x 300, collegamento al sistema in alto/basso

per barre 12, 15, 20, 25, 30 x 5, 10 e barre profilate

NUOVO

Montaggio

60Classic

Gruppo di prodotti 05

Sottogruppo merceologico 42

Pz / conf. 1

EAN 4021267320317

Catalog page 2018 : 3.15

eCl@ss 6.1 27370304

27370304

ETIM 4.0 EC001531

ETIM 5.0 EC001531

Certificazioni

Norme

IEC 61439-1:2011

Omologazioni

IEC (CB) , UL



for UL feeder circuits >250V

Type No.: EPC60630-L

UL file: E123577, UL category (for USA): NMTR2 <http://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR8 <http://www.ul.com>

Omologazione CCC : no certification required

Dati prodotto

Valori elettrici

Corrente nominale (IEC): 590 A

Tensione nominale (IEC) AC: 690 V

Rated current (UL): 630 A

Rated voltage (UL) AC: 600 V

Rated voltage (UL) DC: 600 V

rated isolation voltage U_i : 800
V

Tensione di picco U_{imp} : 6 kV

Tensione max. IEC AC: 800
V

Tensione max. IEC DC: 800
V

short-circuit withstandbility:
SCCR: the short-circuit capacity of the combination of adapter and MCCB
depends on the MCCB
30 kA

Valori meccanici

L x H x P: 140 x 300 x 35

Peso: 250 kg/100

Poli: 3 poli

per barre: 12, 15, 20, 25, 30 x 5, 10 e barre profilate

Proprietà materiali

Involucro: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600,
halogen-free